








TENDER DRAWING



SECTION XI-XI



NOTES	
<div>1. ALL DIM. ARE IN MILLIMETER UNLESS OTHERWISE SPECIFIED.</div> <div>2. NOT MORE THAN 1/4" OF THE COLUMN BARS SHALL BE LAPED AT A SECTION</div> <div>3. GRADE OF CONCRETE MIX SHALL BE M-20 CONFORMING TO IS 456 - 2000.</div> <div>4. STEEL REINFORCEMENT SHALL BE GRADE Fe-500 N/Sq. mm AS PER IS:1786-2006.</div> <div>5. CLEAR COVER TO THE R/F SHALL BE AS FOLLOWS.</div> <div>6. COLUMN - 40mm ALLROUND</div> <div>7. FOOTING - 60 mm</div> <div>8. BEAM - 25 mm ALLROUND</div> <div>9. SLAB - 20 mm TOP/BO.T</div> <div>10. DEVELOPMENT LENGTH & LAP LENGTH SHALL BE 50 TIMES DIA OF BAR</div> <div>11. TOP & BOTTOM BARS SHOULD BE BEND AT 90° IN CASE OF DEVELOPMENT LENGTH SATISFIED.</div> <div>12. TOP BARS OF BEAM SHALL BE LAPPED AT THE MIDDLE OF THE STOREY HEIGHT AND SHALL BE LAPPED AT TWICE THE DEPTH AWAY FROM SUPPORT OR AT SUPPORT WITH LAP LENGTH FOR BOTH THE BARS</div> <div>13. THE COLUMN BARS SHALL BE LAPPED AT THE MIDDLE OF THE STOREY HEIGHT AND STAGGERED BY 1.3 TIMES DEVELOPMENT</div>	
DESCRIPTION	DATE
REVISIONS	
PRINTS ISSUED TO	NO. DATE
space forum architects pvt. ltd. INDORE : 114, ARINIYA PLAZA 27/2, MANORAJAGNU (0731) - 484284	
JOB TITLE	
PROPOSED M.G.M. HOSPITAL. AT N-6,CIDCO,NEW AURANGABAD	
SHEET TITLE	
BEAM & SLAB DETAILS AT FIFTH & TERRACE FLOOR (BLOCK -1)	
NORTH	KEY PLAN
	
JOB NO.	DRG. NO.
DATE	07.01.2021
DEALT BY	ST-02a
CHECKED BY	
SCALE	